






**COMPONENT-BASED, ADAPTIVE STROKE-ORDER SYSTEM**






**Patent number:** WO03021788  
**Publication date:** 2003-03-13  
**Inventor:** KUSHLER CLIFFORD A (US); LONGE MICHAEL R (US); MEURS PIM VAN (US); WONG KENG CHENG (US)  
**Applicant:** AMERICA ONLINE INC (US); KUSHLER CLIFFORD A (US); LONGE MICHAEL R (US); MEURS PIM VAN (US); WONG KENG CHENG (US)  
**Classification:**  
- **International:** G06F3/00; G06F3/033; G06K9/22; G06F3/00; G06F3/033; G06K9/22; (IPC1-7): H03M  
- **European:** G06F3/00B4; G06F3/033D2G; G06K9/22H  
**Application number:** WO2002US27455 20020828  
**Priority number(s):** US20010316387P 20010830

**Also published as:**

 WO03021788 (A3)  
 WO03021788 (A3)  
 EP1421696 (A3)  
 EP1421696 (A3)  
 EP1421696 (A2)

more &gt;&gt;

**Cited documents:**

 US6172625  
 US6028959  
 US6014625  
 US6005549  
 US5109352

more &gt;&gt;

**Report a data error here****Abstract of WO03021788**

An efficient and simple approach to encoding ideographic characters as sequences of input strokes or stroke categories is disclosed, wherein: each character is represented by one or more sequences of one or more components; each component corresponds to a plurality of alternative stroke sequences, each of which is associated with a probability that it will be the sequence which the user enters to specify the given component or character; and the probability associated with the user's preferred stroke sequence is automatically increased by the system when the character is selected, thus automatically adapting to a user's preferences.

---

Data supplied from the **esp@cenet** database - Worldwide